








GS2.5D		<p>1. The listed company has authorized tempered film with high cost-effectiveness, streamlined 10 pack, high transparency glass, bare machine image quality, and all materials have passed SGS harmless certification;</p> <p>2. High aluminum substrate, three strength tempered, with a thickness of 0.3mm;</p> <p>3. Full screen screen screen printing with narrow borders and large windows;</p> <p>4. Super strong craftsmanship, advanced fingerprint oil, smooth and comfortable touch;</p> <p>5. High quality AB glue, instant exhaust, no white edges;</p>	High Definition	PM	10pcs/box /	/	2,8
Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs
GS2.5D (Backbord)		<p>1. High cost-effectiveness, streamlined 5-pack, high transparency glass, bare machine image quality, all materials certified harmless by SGS;</p> <p>2. Anti static, with a bottom plate;</p> <p>3. South Glass High Aluminum Substrate, Three Strength Tempering, Thickness 0.3mm;</p> <p>4. Full screen screen screen printing with narrow borders and large windows;</p> <p>5. Superb craftsmanship, advanced fingerprint oil, smooth and comfortable</p>	High Definition	PD	5pcs/box	60 boxes /carton	3,0
			Privacy	PF	5pcs/box		6
Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs
GS UV Curved		<p>1. High aluminum substrate, three strength tempered, with a thickness of 0.3mm;</p> <p>2. Professional hot bending technology, fully fitting curved phones;</p> <p>3. Electroplated fingerprint oil, water droplet chamfer $\geq 105^\circ$, friction resistance ≥ 5000 times, smooth touch;</p> <p>4. High quality UV adhesive, with good horizontal flow, strong annual performance, no irritating odor, no white edges, and no rebound;</p>	High Definition	PUM	1pcs	60 boxes /carton	6,0
			Purple anti-blue ray	PUZ	1pcs		9,0
			Green anti-blue ray	PUL	1pcs		9,0
Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs

GS UV Curved (5PCS)		<ol style="list-style-type: none"> 1. High aluminum substrate, three strength tempered, with a thickness of 0.3mm; 2. Professional hot bending technology, fully fitting curved phones; 3. Electroplated fingerprint oil, water droplet chamfer $\geq 105^\circ$, friction resistance ≥ 5000 times, smooth touch; 4. High quality UV adhesive, with good horizontal flow, strong annual performance, no irritating odor, no white edges, and no rebound; 	High Definition	PUM	5pcs/box	60 boxes /carton	6
Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs
GS UV Nano Curable		<ol style="list-style-type: none"> 1. Adhere to the real machine and restore the bare machine feel; 2. Imported fingerprint oil is used, with a water droplet chamfer of $\geq 105^\circ$ for a smooth touch and no scratches left; 3. Imported soft film, no irritating odor, no white edges, no rebound; 4. Equipped with scraper, film sticking tool, and steel wire brush; 	High Definition	PG	5pcs/box	60 boxes /carton	5,5
Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs
1PCS Hardcover		<ol style="list-style-type: none"> 2. High aluminum substrate, three strength tempered glass, scratch resistant and durable; 3. Large arc screen printing with narrow borders, full coverage of screen printing, no bubbles, and no rebound; 4. Anti static AB adhesive, instant exhaust, without white edges; 5. Thickness 0.25mm, edge bearing capacity 30KG; 6. Vacuum electroplating, friction resistance ≥ 12000 times; 	High Definition	ZM	1pcs	60 boxes /carton	9
			Privacy	ZF	1pcs		12
Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs
0.16mm Blue Diamond Ultra Thin Style		<ol style="list-style-type: none"> 1. High aluminum substrate, three strength tempered glass, scratch resistant and durable; 2. Large arc screen printing with narrow borders, fully covered by screen printing, no bubbles, and no rebound; 3. O-shaped bending, super toughness; 4. Thickness 0.16mm, edge bearing capacity 20KG; 5. Vacuum electroplating, friction resistance ≥ 12000 times; 	High Definition	CG	1pcs	60 boxes /carton	18
			Privacy	CF	1pcs		22
Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs

Super Ceramic		<ol style="list-style-type: none"> 1. The use of super ceramic crystal materials on the Apple 14 panel and the selection of Apple phones; 2. Superceramic crystals can stimulate the properties of auxiliary materials such as AB glue and fingerprint oil, making them better adhered and smoother; 3. Large arc screen printing with narrow borders, zero white edge risk, beautiful appearance; 4. Anti static AB adhesive, instant exhaust, without white edges; 5. Thickness of 0.3mm, edge bearing capacity of 40KG; 6. Vacuum electroplating, friction resistance ≥ 15000 times; 	High Definition	GM	1pcs	60 boxes /carton	20
			Privacy	GF	1pcs	60 boxes /carton	30
Super Ceramic UV Curved		<ol style="list-style-type: none"> 1. The use of super ceramic crystal materials on the Apple 14 panel and the selection of Apple phones; 2. Superceramic crystals can stimulate the performance of auxiliary materials such as UV glue and fingerprint oil, making them better adhered and smoother; 3. Professional hot bending process; 4. Vacuum electroplating, friction resistance ≥ 15000 times; 5. Thickness of 0.3mm, high sensitivity, good fingerprint unlocking, perfect selfie; 	High Definition	GUM	1pcs	60 boxes /carton	19
Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs
Fullglue Big Curved		<ol style="list-style-type: none"> 1. High cost-effectiveness, streamlined 5-pack, high transparency glass, bare machine image quality, all materials certified harmless by SGS; 2. High aluminum substrate, three strength tempered, with a thickness of 0.3mm; 3. Full screen screen printing with narrow borders and large windows; 4. Super strong craftsmanship, advanced fingerprint oil, smooth and comfortable touch; 5. High quality AB glue, instant exhaust, no white edges; 	High Definition	PY	5pcs/box	/	1,5
O-shaped Bending		<ol style="list-style-type: none"> 1. High cost-effectiveness, streamlined 5-pack, high transparency glass, bare machine image quality, all materials certified harmless by SGS; 	High Definition	P0	5pcs/box	60 boxes /carton	4



2. High aluminum substrate, three strength tempered, with a thickness of 0.3mm;
3. Full screen screen printing with narrow borders and large windows; O-shaped fold, super smooth and refreshing;
4. Super strong craftsmanship, advanced fingerprint oil, smooth and comfortable touch;
5. High quality AB glue, instant exhaust, no white edges;

Privacy	P0F	5pcs/box	60 boxes /carton	6,5
---------	-----	----------	------------------	-----

Product	Packing Photo	Describe	Function	Code	Specificatio	Packi	Price/pcs
---------	---------------	----------	----------	------	--------------	-------	-----------

Folding Screen Tempered Film



1. China's first folding tempered film
2. UTG material, foldable 200000 times
3. Surface hardness of 9H, more scratch resistant than the original film
4. Using vacuum electroplating fingerprint oil

Landscape	V	1pcs		188
Portrait	V	1pcs		168